

## Stainless Steel Free Standing Two Door Enclosures - 316 SS - Enviroline



### SCE-60EL4818SS6FSD S.S. EL FSD Enclosure - 60" H X 48" W X 18" D

The SCE-60EL4818SS6FSD is a 60 x 48 x 18 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-60EL4818SS6FSD measures 60 Inches High X 48 Inches Wide X 18 Inches Deep. This SCE-60EL4818SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-60EL4818SS6FSD S.S. EL FSD Enclosure weighs 0 lbs.

SCE-60EL4818SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-60EL4818SS6FSD Dimensions: 60 x 48 x 18

SCE-60EL4818SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-60EL4818SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-60EL4818SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-60EL4818SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-60EL4818SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-60EL4818SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-60EL4818SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-60EL4818SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-60EL4818SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-60EL4818SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-60EL4818SS6FSD Manufacturer Page](#)

## SCE-60EL4818SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-60EL4818SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for

applications requiring more interior space.

~~\$9,623.34~~ **\$5,400.60 You Save Today!** (SCE-60EL4818SS6FSD)



### SCE-72EL4818SS6FSD S.S. EL FSD Enclosure - 72" H X 48" W X 18" D

The SCE-72EL4818SS6FSD is a 72 x 48 x 18 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-72EL4818SS6FSD measures 72 Inches High X 48 Inches Wide X 18 Inches Deep. This SCE-72EL4818SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72EL4818SS6FSD S.S. EL FSD Enclosure weighs 478 lbs.

SCE-72EL4818SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-72EL4818SS6FSD Dimensions: 72 x 48 x 18

SCE-72EL4818SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-72EL4818SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-72EL4818SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-72EL4818SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-72EL4818SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72EL4818SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72EL4818SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-72EL4818SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-72EL4818SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-72EL4818SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-72EL4818SS6FSD Manufacturer Page](#)

## SCE-72EL4818SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-72EL4818SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack

mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$10,608.83~~ **\$5,953.68 You Save Today!** (SCE-72EL4818SS6FSD)



### SCE-72EL4824SS6FSD S.S. EL FSD Enclosure - 72" H X 48" W X 24" D

The SCE-72EL4824SS6FSD is a 72 x 48 x 24 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-72EL4824SS6FSD measures 72 Inches High X 48 Inches Wide X 24 Inches Deep. This SCE-72EL4824SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72EL4824SS6FSD S.S. EL FSD Enclosure weighs 523 lbs.

SCE-72EL4824SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-72EL4824SS6FSD Dimensions: 72 x 48 x 24

SCE-72EL4824SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-72EL4824SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-72EL4824SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-72EL4824SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-72EL4824SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72EL4824SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72EL4824SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-72EL4824SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-72EL4824SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-72EL4824SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-72EL4824SS6FSD Manufacturer Page](#)

## SCE-72EL4824SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-72EL4824SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$11,425.87~~ **\$6,412.20 You Save Today!** (SCE-72EL4824SS6FSD)



### SCE-72EL6018SS6FSD S.S. EL FSD Enclosure - 72" H X 60" W X 18" D

The SCE-72EL6018SS6FSD is a 72 x 60 x 18 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-72EL6018SS6FSD measures 72 Inches High X 60 Inches Wide X 18 Inches Deep. This SCE-72EL6018SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72EL6018SS6FSD S.S. EL FSD Enclosure weighs 550 lbs.

SCE-72EL6018SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-72EL6018SS6FSD Dimensions: 72 x 60 x 18

SCE-72EL6018SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-72EL6018SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-72EL6018SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-72EL6018SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-72EL6018SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72EL6018SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72EL6018SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-72EL6018SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-72EL6018SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-72EL6018SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-72EL6018SS6FSD Manufacturer Page](#)

## SCE-72EL6018SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-72EL6018SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$11,834.39~~ **\$6,641.46 You Save Today!** (SCE-72EL6018SS6FSD)



### SCE-72EL6024SS6FSD S.S. EL FSD Enclosure - 72" H X 60" W X 24" D

The SCE-72EL6024SS6FSD is a 72 x 60 x 24 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-72EL6024SS6FSD measures 72 Inches High X 60 Inches Wide X 24 Inches Deep. This SCE-72EL6024SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72EL6024SS6FSD S.S. EL FSD Enclosure weighs 625 lbs.

SCE-72EL6024SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-72EL6024SS6FSD Dimensions: 72 x 60 x 24

SCE-72EL6024SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-72EL6024SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-72EL6024SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-72EL6024SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-72EL6024SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72EL6024SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72EL6024SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-72EL6024SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-72EL6024SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-72EL6024SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-72EL6024SS6FSD Manufacturer Page](#)

## SCE-72EL6024SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-72EL6024SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$12,738.03~~ **\$7,148.58 You Save Today!** (SCE-72EL6024SS6FSD)



### SCE-72EL6036SS6FSD S.S. EL FSD Enclosure - 72" H X 60" W X 36" D

The SCE-72EL6036SS6FSD is a 72 x 60 x 36 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-72EL6036SS6FSD measures 72 Inches High X 60 Inches Wide X 36 Inches Deep. This SCE-72EL6036SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72EL6036SS6FSD S.S. EL FSD Enclosure weighs 720 lbs.

SCE-72EL6036SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-72EL6036SS6FSD Dimensions: 72 x 60 x 36

SCE-72EL6036SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-72EL6036SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-72EL6036SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-72EL6036SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-72EL6036SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72EL6036SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72EL6036SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-72EL6036SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-72EL6036SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-72EL6036SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-72EL6036SS6FSD Manufacturer Page](#)

## SCE-72EL6036SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-72EL6036SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$14,533.00~~ **\$8,155.92 You Save Today!** (SCE-72EL6036SS6FSD)



### SCE-72EL7218SS6FSD S.S. EL FSD Enclosure - 72" H X 72" W X 18" D

The SCE-72EL7218SS6FSD is a 72 x 72 x 18 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-72EL7218SS6FSD measures 72 Inches High X 72 Inches Wide X 18 Inches Deep. This SCE-72EL7218SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72EL7218SS6FSD S.S. EL FSD Enclosure weighs 763 lbs.

SCE-72EL7218SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-72EL7218SS6FSD Dimensions: 72 x 72 x 18

SCE-72EL7218SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-72EL7218SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-72EL7218SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-72EL7218SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-72EL7218SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72EL7218SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72EL7218SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-72EL7218SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-72EL7218SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-72EL7218SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-72EL7218SS6FSD Manufacturer Page](#)

## SCE-72EL7218SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-72EL7218SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$13,087.20~~ **\$7,344.54 You Save Today!** (SCE-72EL7218SS6FSD)



### SCE-72EL7224SS6FSD S.S. EL FSD Enclosure - 72" H X 72" W X 24" D

The SCE-72EL7224SS6FSD is a 72 x 72 x 24 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-72EL7224SS6FSD measures 72 Inches High X 72 Inches Wide X 24 Inches Deep. This SCE-72EL7224SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72EL7224SS6FSD S.S. EL FSD Enclosure weighs 695 lbs.

SCE-72EL7224SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-72EL7224SS6FSD Dimensions: 72 x 72 x 24

SCE-72EL7224SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-72EL7224SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-72EL7224SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-72EL7224SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-72EL7224SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72EL7224SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72EL7224SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-72EL7224SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-72EL7224SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-72EL7224SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-72EL7224SS6FSD Manufacturer Page](#)

## SCE-72EL7224SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.



## SCE-72EL7224SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$14,077.54~~ **\$7,900.30** **You Save Today!** (SCE-72EL7224SS6FSD)



## SCE-90EL4820SS6FSD S.S. EL FSD Enclosure - 90" H X 48" W X 20" D

The SCE-90EL4820SS6FSD is a 90 x 48 x 20 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-90EL4820SS6FSD measures 90 Inches High X 48 Inches Wide X 20 Inches Deep. This SCE-90EL4820SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-90EL4820SS6FSD S.S. EL FSD Enclosure weighs 560 lbs.

SCE-90EL4820SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-90EL4820SS6FSD Dimensions: 90 x 48 x 20

SCE-90EL4820SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-90EL4820SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-90EL4820SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-90EL4820SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-90EL4820SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-90EL4820SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-90EL4820SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-90EL4820SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-90EL4820SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-90EL4820SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-90EL4820SS6FSD Manufacturer Page](#)

## SCE-90EL4820SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-90EL4820SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$12,385.82~~ **\$6,950.92 You Save Today!** (SCE-90EL4820SS6FSD)



### SCE-90EL7220SS6FSD S.S. EL FSD Enclosure - 90" H X 72" W X 20" D

The SCE-90EL7220SS6FSD is a 90 x 72 x 20 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-90EL7220SS6FSD measures 90 Inches High X 72 Inches Wide X 20 Inches Deep. This SCE-90EL7220SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-90EL7220SS6FSD S.S. EL FSD Enclosure weighs 295.65 lbs.

SCE-90EL7220SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-90EL7220SS6FSD Dimensions: 90 x 72 x 20

SCE-90EL7220SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-90EL7220SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-90EL7220SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-90EL7220SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-90EL7220SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-90EL7220SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-90EL7220SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-90EL7220SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-90EL7220SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-90EL7220SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-90EL7220SS6FSD Manufacturer Page](#)

## SCE-90EL7220SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-90EL7220SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$15,384.84~~ **\$8,633.97** You Save Today! (SCE-90EL7220SS6FSD)



### SCE-90EL7224SS6FSD S.S. EL FSD Enclosure - 90" H X 72" W X 24" D

The SCE-90EL7224SS6FSD is a 90 x 72 x 24 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-90EL7224SS6FSD measures 90 Inches High X 72 Inches Wide X 24 Inches Deep. This SCE-90EL7224SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-90EL7224SS6FSD S.S. EL FSD Enclosure weighs 782 lbs.

SCE-90EL7224SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-90EL7224SS6FSD Dimensions: 90 x 72 x 24

SCE-90EL7224SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-90EL7224SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-90EL7224SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-90EL7224SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-90EL7224SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-90EL7224SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-90EL7224SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-90EL7224SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-90EL7224SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-90EL7224SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-90EL7224SS6FSD Manufacturer Page](#)

## SCE-90EL7224SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-90EL7224SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$16,115.26~~ **\$9,043.88 You Save Today!** (SCE-90EL7224SS6FSD)



### SCE-90EL7236SS6FSD S.S. EL FSD Enclosure - 90" H X 72" W X 36" D

The SCE-90EL7236SS6FSD is a 90 x 72 x 36 S.S. EL FSD Enclosure from Saginaw Control & Engineering. Each SCE-90EL7236SS6FSD measures 90 Inches High X 72 Inches Wide X 36 Inches Deep. This SCE-90EL7236SS6FSD is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-90EL7236SS6FSD S.S. EL FSD Enclosure weighs 374.49 lbs.

SCE-90EL7236SS6FSD S.S. EL FSD Enclosure Application: Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

SCE-90EL7236SS6FSD Dimensions: 90 x 72 x 36

SCE-90EL7236SS6FSD Finish: Type 316 Stainless Steel with #4 Brushed finish. Optional sub-panels powder coated white.

Notes: Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

Because the SCE-90EL7236SS6FSD units are Made in the USA by Saginaw Control with 100% US components, the SCE-90EL7236SS6FSD from SCE meets all requirements of ARRA and Buy America. Every SCE-90EL7236SS6FSD has the highest quality and American craftsmanship built in.

Most of all, the SCE-90EL7236SS6FSD S.S. EL FSD Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-90EL7236SS6FSD S.S. EL FSD Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-90EL7236SS6FSD S.S. EL FSD Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. EL FSD Enclosure. If this S.S. EL FSD Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

## Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

## Data Sheet

[SCE-90EL7236SS6FSD Datasheet / Cutsheet](#)

## Drawing / CAD Files

[SCE-90EL7236SS6FSD Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x\\_t files\)](#)

## Installation Information

[SCE-90EL7236SS6FSD Installation Information](#)

## Manufacturer Page

[SCE-90EL7236SS6FSD Manufacturer Page](#)

## SCE-90EL7236SS6FSD Notes

Optional panels and accessories available. Special Instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. Instructions are located on the enclosure door. Drip shield is required on IS3, drip shield is recommended on IS4 and IS6. Drain holes are required on all.

## SCE-90EL7236SS6FSD Application

Designed to house a variety of electrical and electronic controls and instruments. Provisions for optional surface mounting or rack mounting of almost any type of equipment. Provides protection from dust, dirt, water and oil. The enclosures are extra deep for applications requiring more interior space.

~~\$18,331.40~~ **\$10,287.41** **You Save Today!** (SCE-90EL7236SS6FSD)

Aqua Technology Group | 800-513-8993 | www.aquatechnologygroup.com | © 2017 Aqua Technology Group | Prices subject to change