

Stainless Steel Two Door Enclosures for Flange Mounted Disconnects - 316 SS - Enviroline



SCE-60XEL4912SS6LP S.S. 2DR XEL Enclosure - 60" H X 49" W X 12" D

The SCE-60XEL4912SS6LP is a 60 x 49 x 12 S.S. 2DR XEL Enclosure from Saginaw Control & Engineering. Each SCE-60XEL4912SS6LP measures 60 Inches High X 49 Inches Wide X 12 Inches Deep. This SCE-60XEL4912SS6LP is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-60XEL4912SS6LP S.S. 2DR XEL Enclosure weighs 569 lbs.

SCE-60XEL4912SS6LP S.S. 2DR XEL Enclosure Application: Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

SCE-60XEL4912SS6LP Dimensions: 60 x 49 x 12

SCE-60XEL4912SS6LP Finish: #4 brushed finish on all exterior surfaces. Optional sub-panels are powder coated white.

Notes: Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

Because the SCE-60XEL4912SS6LP units are Made in the USA by Saginaw Control with 100% US components, the SCE-60XEL4912SS6LP from SCE meets all requirements of ARRA and Buy America. Every SCE-60XEL4912SS6LP has the highest quality and American craftsmanship built in.

Most of all, the SCE-60XEL4912SS6LP S.S. 2DR XEL Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-60XEL4912SS6LP S.S. 2DR XEL Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-60XEL4912SS6LP S.S. 2DR XEL Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. 2DR XEL Enclosure. If this S.S. 2DR XEL Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

Data Sheet

[SCE-60XEL4912SS6LP Datasheet / Cutsheet](#)

Drawing / CAD Files

[SCE-60XEL4912SS6LP Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x_t files\)](#)

Installation Information

[SCE-60XEL4912SS6LP Installation Information](#)

Manufacturer Page

[SCE-60XEL4912SS6LP Manufacturer Page](#)

SCE-60XEL4912SS6LP Notes

Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

SCE-60XEL4912SS6LP Application

Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

~~\$9,716.04~~ **\$5,452.62 You Save Today!** (SCE-60XEL4912SS6LP)



SCE-60XEL4918SS6LP S.S. 2DR XEL Enclosure - 60" H X 49" W X 18" D

The SCE-60XEL4918SS6LP is a 60 x 49 x 18 S.S. 2DR XEL Enclosure from Saginaw Control & Engineering. Each SCE-60XEL4918SS6LP measures 60 Inches High X 49 Inches Wide X 18 Inches Deep. This SCE-60XEL4918SS6LP is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-60XEL4918SS6LP S.S. 2DR XEL Enclosure weighs 525 lbs.

SCE-60XEL4918SS6LP S.S. 2DR XEL Enclosure Application: Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

SCE-60XEL4918SS6LP Dimensions: 60 x 49 x 18

SCE-60XEL4918SS6LP Finish: #4 brushed finish on all exterior surfaces. Optional sub-panels are powder coated white.

Notes: Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

Because the SCE-60XEL4918SS6LP units are Made in the USA by Saginaw Control with 100% US components, the SCE-60XEL4918SS6LP from SCE meets all requirements of ARRA and Buy America. Every SCE-60XEL4918SS6LP has the highest quality and American craftsmanship built in.

Most of all, the SCE-60XEL4918SS6LP S.S. 2DR XEL Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-60XEL4918SS6LP S.S. 2DR XEL Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-60XEL4918SS6LP S.S. 2DR XEL Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. 2DR XEL Enclosure. If this S.S. 2DR XEL Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

Data Sheet

[SCE-60XEL4918SS6LP Datasheet / Cutsheet](#)

Drawing / CAD Files

[SCE-60XEL4918SS6LP Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x_t files\)](#)

Installation Information

[SCE-60XEL4918SS6LP Installation Information](#)

Manufacturer Page

[SCE-60XEL4918SS6LP Manufacturer Page](#)

SCE-60XEL4918SS6LP Notes

Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

SCE-60XEL4918SS6LP Application

Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

~~\$10,584.18~~ **\$5,939.84 You Save Today!** (SCE-60XEL4918SS6LP)



SCE-60XEL6112SS6LP S.S. 2DR XEL Enclosure - 60" H X 61" W X 12" D

The SCE-60XEL6112SS6LP is a 60 x 61 x 12 S.S. 2DR XEL Enclosure from Saginaw Control & Engineering. Each SCE-60XEL6112SS6LP measures 60 Inches High X 61 Inches Wide X 12 Inches Deep. This SCE-60XEL6112SS6LP is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-60XEL6112SS6LP S.S. 2DR XEL Enclosure weighs 571 lbs.

SCE-60XEL6112SS6LP S.S. 2DR XEL Enclosure Application: Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

SCE-60XEL6112SS6LP Dimensions: 60 x 61 x 12

SCE-60XEL6112SS6LP Finish: #4 brushed finish on all exterior surfaces. Optional sub-panels are powder coated white.

Notes: Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

Because the SCE-60XEL6112SS6LP units are Made in the USA by Saginaw Control with 100% US components, the SCE-60XEL6112SS6LP from SCE meets all requirements of ARRA and Buy America. Every SCE-60XEL6112SS6LP has the highest quality and American craftsmanship built in.

Most of all, the SCE-60XEL6112SS6LP S.S. 2DR XEL Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-60XEL6112SS6LP S.S. 2DR XEL Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-60XEL6112SS6LP S.S. 2DR XEL Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. 2DR XEL Enclosure. If this S.S. 2DR XEL Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

Data Sheet

[SCE-60XEL6112SS6LP Datasheet / Cutsheet](#)

Drawing / CAD Files

[SCE-60XEL6112SS6LP Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x_t files\)](#)

Installation Information

[SCE-60XEL6112SS6LP Installation Information](#)

Manufacturer Page

[SCE-60XEL6112SS6LP Manufacturer Page](#)

SCE-60XEL6112SS6LP Notes

Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

SCE-60XEL6112SS6LP Application

Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

~~\$10,864.35~~ **\$6,097.07 You Save Today!** (SCE-60XEL6112SS6LP)



SCE-60XEL6118SS6LP S.S. 2DR XEL Enclosure - 60" H X 61" W X 18" D

The SCE-60XEL6118SS6LP is a 60 x 61 x 18 S.S. 2DR XEL Enclosure from Saginaw Control & Engineering. Each SCE-60XEL6118SS6LP measures 60 Inches High X 61 Inches Wide X 18 Inches Deep. This SCE-60XEL6118SS6LP is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-60XEL6118SS6LP S.S. 2DR XEL Enclosure weighs 600 lbs.

SCE-60XEL6118SS6LP S.S. 2DR XEL Enclosure Application: Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

SCE-60XEL6118SS6LP Dimensions: 60 x 61 x 18

SCE-60XEL6118SS6LP Finish: #4 brushed finish on all exterior surfaces. Optional sub-panels are powder coated white.

Notes: Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

Because the SCE-60XEL6118SS6LP units are Made in the USA by Saginaw Control with 100% US components, the SCE-60XEL6118SS6LP from SCE meets all requirements of ARRA and Buy America. Every SCE-60XEL6118SS6LP has the highest quality and American craftsmanship built in.

Most of all, the SCE-60XEL6118SS6LP S.S. 2DR XEL Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-60XEL6118SS6LP S.S. 2DR XEL Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-60XEL6118SS6LP S.S. 2DR XEL Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. 2DR XEL Enclosure. If this S.S. 2DR XEL Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

Data Sheet

[SCE-60XEL6118SS6LP Datasheet / Cutsheet](#)

Drawing / CAD Files

[SCE-60XEL6118SS6LP Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x_t files\)](#)

Installation Information

[SCE-60XEL6118SS6LP Installation Information](#)

Manufacturer Page

[SCE-60XEL6118SS6LP Manufacturer Page](#)

SCE-60XEL6118SS6LP Notes

Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

SCE-60XEL6118SS6LP Application

Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

~~\$11,831.85~~ **\$6,640.03 You Save Today!** (SCE-60XEL6118SS6LP)



SCE-72XEL6112SS6LP S.S. 2DR XEL Enclosure - 72" H X 61" W X 12" D

The SCE-72XEL6112SS6LP is a 72 x 61 x 12 S.S. 2DR XEL Enclosure from Saginaw Control & Engineering. Each SCE-72XEL6112SS6LP measures 72 Inches High X 61 Inches Wide X 12 Inches Deep. This SCE-72XEL6112SS6LP is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72XEL6112SS6LP S.S. 2DR XEL Enclosure weighs 281 lbs.

SCE-72XEL6112SS6LP S.S. 2DR XEL Enclosure Application: Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

SCE-72XEL6112SS6LP Dimensions: 72 x 61 x 12

SCE-72XEL6112SS6LP Finish: #4 brushed finish on all exterior surfaces. Optional sub-panels are powder coated white.

Notes: Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

Because the SCE-72XEL6112SS6LP units are Made in the USA by Saginaw Control with 100% US components, the SCE-72XEL6112SS6LP from SCE meets all requirements of ARRA and Buy America. Every SCE-72XEL6112SS6LP has the highest quality and American craftsmanship built in.

Most of all, the SCE-72XEL6112SS6LP S.S. 2DR XEL Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72XEL6112SS6LP S.S. 2DR XEL Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72XEL6112SS6LP S.S. 2DR XEL Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. 2DR XEL Enclosure. If this S.S. 2DR XEL Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

Data Sheet

[SCE-72XEL6112SS6LP Datasheet / Cutsheet](#)

Drawing / CAD Files

[SCE-72XEL6112SS6LP Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x_t files\)](#)

Installation Information

[SCE-72XEL6112SS6LP Installation Information](#)

Manufacturer Page

[SCE-72XEL6112SS6LP Manufacturer Page](#)

SCE-72XEL6112SS6LP Notes

Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

SCE-72XEL6112SS6LP Application

Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

~~\$12,033.85~~ **\$6,753.40 You Save Today!** (SCE-72XEL6112SS6LP)



SCE-72XEL6118SS6LP S.S. 2DR XEL Enclosure - 72" H X 61" W X 18" D

The SCE-72XEL6118SS6LP is a 72 x 61 x 18 S.S. 2DR XEL Enclosure from Saginaw Control & Engineering. Each SCE-72XEL6118SS6LP measures 72 Inches High X 61 Inches Wide X 18 Inches Deep. This SCE-72XEL6118SS6LP is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72XEL6118SS6LP S.S. 2DR XEL Enclosure weighs 281 lbs.

SCE-72XEL6118SS6LP S.S. 2DR XEL Enclosure Application: Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

SCE-72XEL6118SS6LP Dimensions: 72 x 61 x 18

SCE-72XEL6118SS6LP Finish: #4 brushed finish on all exterior surfaces. Optional sub-panels are powder coated white.

Notes: Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

Because the SCE-72XEL6118SS6LP units are Made in the USA by Saginaw Control with 100% US components, the SCE-72XEL6118SS6LP from SCE meets all requirements of ARRA and Buy America. Every SCE-72XEL6118SS6LP has the highest quality and American craftsmanship built in.

Most of all, the SCE-72XEL6118SS6LP S.S. 2DR XEL Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72XEL6118SS6LP S.S. 2DR XEL Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72XEL6118SS6LP S.S. 2DR XEL Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. 2DR XEL Enclosure. If this S.S. 2DR XEL Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

Data Sheet

[SCE-72XEL6118SS6LP Datasheet / Outsheet](#)

Drawing / CAD Files

[SCE-72XEL6118SS6LP Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x_t files\)](#)

Installation Information

[SCE-72XEL6118SS6LP Installation Information](#)

Manufacturer Page

[SCE-72XEL6118SS6LP Manufacturer Page](#)

SCE-72XEL6118SS6LP Notes

Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

SCE-72XEL6118SS6LP Application

Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

~~\$13,073.05~~ **\$7,336.60 You Save Today!** (SCE-72XEL6118SS6LP)



SCE-72XEL7312SS6LP S.S. 2DR XEL Enclosure - 72" H X 73" W X 12" D

The SCE-72XEL7312SS6LP is a 72 x 73 x 12 S.S. 2DR XEL Enclosure from Saginaw Control & Engineering. Each SCE-72XEL7312SS6LP measures 72 Inches High X 73 Inches Wide X 12 Inches Deep. This SCE-72XEL7312SS6LP is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72XEL7312SS6LP S.S. 2DR XEL Enclosure weighs 730 lbs.

SCE-72XEL7312SS6LP S.S. 2DR XEL Enclosure Application: Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

SCE-72XEL7312SS6LP Dimensions: 72 x 73 x 12

SCE-72XEL7312SS6LP Finish: #4 brushed finish on all exterior surfaces. Optional sub-panels are powder coated white.

Notes: Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

Because the SCE-72XEL7312SS6LP units are Made in the USA by Saginaw Control with 100% US components, the SCE-72XEL7312SS6LP from SCE meets all requirements of ARRA and Buy America. Every SCE-72XEL7312SS6LP has the highest quality and American craftsmanship built in.

Most of all, the SCE-72XEL7312SS6LP S.S. 2DR XEL Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72XEL7312SS6LP S.S. 2DR XEL Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72XEL7312SS6LP S.S. 2DR XEL Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. 2DR XEL Enclosure. If this S.S. 2DR XEL Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

Data Sheet

[SCE-72XEL7312SS6LP Datasheet / Outsheet](#)

Drawing / CAD Files

[SCE-72XEL7312SS6LP Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x_t files\)](#)

Installation Information

[SCE-72XEL7312SS6LP Installation Information](#)

Manufacturer Page

[SCE-72XEL7312SS6LP Manufacturer Page](#)

SCE-72XEL7312SS6LP Notes

Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

SCE-72XEL7312SS6LP Application

Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

~~\$13,366.23~~ **\$7,501.13 You Save Today!** (SCE-72XEL7312SS6LP)



SCE-72XEL7318SS6LP S.S. 2DR XEL Enclosure - 72" H X 73" W X 18" D

The SCE-72XEL7318SS6LP is a 72 x 73 x 18 S.S. 2DR XEL Enclosure from Saginaw Control & Engineering. Each SCE-72XEL7318SS6LP measures 72 Inches High X 73 Inches Wide X 18 Inches Deep. This SCE-72XEL7318SS6LP is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72XEL7318SS6LP S.S. 2DR XEL Enclosure weighs 773 lbs.

SCE-72XEL7318SS6LP S.S. 2DR XEL Enclosure Application: Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

SCE-72XEL7318SS6LP Dimensions: 72 x 73 x 18

SCE-72XEL7318SS6LP Finish: #4 brushed finish on all exterior surfaces. Optional sub-panels are powder coated white.

Notes: Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

Because the SCE-72XEL7318SS6LP units are Made in the USA by Saginaw Control with 100% US components, the SCE-72XEL7318SS6LP from SCE meets all requirements of ARRA and Buy America. Every SCE-72XEL7318SS6LP has the highest quality and American craftsmanship built in.

Most of all, the SCE-72XEL7318SS6LP S.S. 2DR XEL Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72XEL7318SS6LP S.S. 2DR XEL Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72XEL7318SS6LP S.S. 2DR XEL Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. 2DR XEL Enclosure. If this S.S. 2DR XEL Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

Data Sheet

[SCE-72XEL7318SS6LP Datasheet / Outsheet](#)

Drawing / CAD Files

[SCE-72XEL7318SS6LP Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x_t files\)](#)

Installation Information

[SCE-72XEL7318SS6LP Installation Information](#)

Manufacturer Page

[SCE-72XEL7318SS6LP Manufacturer Page](#)

SCE-72XEL7318SS6LP Notes

Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

SCE-72XEL7318SS6LP Application

Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

~~\$13,849.87~~ **\$7,772.55 You Save Today!** (SCE-72XEL7318SS6LP)



SCE-72XEL7324SS6LP S.S. 2DR XEL Enclosure - 72" H X 73" W X 24" D

The SCE-72XEL7324SS6LP is a 72 x 73 x 24 S.S. 2DR XEL Enclosure from Saginaw Control & Engineering. Each SCE-72XEL7324SS6LP measures 72 Inches High X 73 Inches Wide X 24 Inches Deep. This SCE-72XEL7324SS6LP is Rated / Listed: NEMA 4, NEMA 4X, NEMA 12, NEMA 13, UL Listed Type 4, UL Listed Type 4X, UL Listed Type 12, CSA Type 4, CSA Type 4X, CSA Type 12, IEC 60529, IP 66. Each Saginaw Control SCE-72XEL7324SS6LP S.S. 2DR XEL Enclosure weighs 894 lbs.

SCE-72XEL7324SS6LP S.S. 2DR XEL Enclosure Application: Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

SCE-72XEL7324SS6LP Dimensions: 72 x 73 x 24

SCE-72XEL7324SS6LP Finish: #4 brushed finish on all exterior surfaces. Optional sub-panels are powder coated white.

Notes: Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

Because the SCE-72XEL7324SS6LP units are Made in the USA by Saginaw Control with 100% US components, the SCE-72XEL7324SS6LP from SCE meets all requirements of ARRA and Buy America. Every SCE-72XEL7324SS6LP has the highest quality and American craftsmanship built in.

Most of all, the SCE-72XEL7324SS6LP S.S. 2DR XEL Enclosure comes with an industry leading SCE manufacturer two year (2 year) warranty. All SCE-72XEL7324SS6LP S.S. 2DR XEL Enclosure units are rated for NEMA 4, 4X, 12, 13 environment and therefore have an Industry Standard of IS5. Each SCE-72XEL7324SS6LP S.S. 2DR XEL Enclosure is precision manufactured by Saginaw Control & Engineering, an ISO 9001:2015 registered company, with state of the art precision fabricating equipment including the latest in laser technology, stainless steel process and powder coat finishes.

Custom S.S. 2DR XEL Enclosure. If this S.S. 2DR XEL Enclosure or other catalog items aren't exactly what you need, ATG and Saginaw Control can help. We will provide your custom enclosure to your exact specification with industry leading turnaround and pricing. Get a Quick Quote Above.

Recommended Accessory / Subpanel

[SCE-13ELJEXPP](#)

Data Sheet

[SCE-72XEL7324SS6LP Datasheet / Outsheet](#)

Drawing / CAD Files

[SCE-72XEL7324SS6LP Drawing / CAD Package \(.zip includes pdf, dwg, igs, stp, x_t files\)](#)

Installation Information

[SCE-72XEL7324SS6LP Installation Information](#)

Manufacturer Page

[SCE-72XEL7324SS6LP Manufacturer Page](#)

SCE-72XEL7324SS6LP Notes

Disconnect switch (or circuit breaker) and operating mechanism are not furnished with enclosure. SCE-125738 Defeater kit is required for use with Mechanical Defeater when using Siemens and ABB Flange mount Disconnect.

SCE-72XEL7324SS6LP Application

Designed to house electrical and electronic controls, instrumentation and components in indoor & outdoor locations. Designed to house most standard type disconnects. For outdoor application a drip shield is recommended.

~~\$14,519.44~~ **\$8,148.31 You Save Today!** (SCE-72XEL7324SS6LP)